



Philips AVENT  
DECT baby monitor

## Reassurance with crystal clear sound

Zero interference guaranteed with DECT technology

Enjoy complete peace of mind with the new Philips AVENT range of DECT Baby Monitors you can relax, safe in the knowledge your baby's happy even when you are out the room.



SCD510/00

### Zero interference

- DECT technology guarantees zero interference

### Crystal clear sound

- Reassurance with crystal clear sound
- Choose the best sound level for your surroundings
- LEDs light to signal noise levels

### 330 m range

- Extra long range for total mobility
- Up to 24 hour operation time before recharge
- Always know that you are connected
- Belt clip for convenient, hands-free monitoring

### Soothing sights and sounds


- Soft glow comforts baby if it wakes
- Stay connected with talk back

**PHILIPS**  
**AVENT**

sense and simplicity

# Highlights

## Guaranteed zero interference



DECT technology guarantees zero interference from any other transmitting product like other baby monitors, cordless phones and cell phones. Data encryption provides a secure and private connection, so you can be sure that you are the only one that can hear your baby

## Superior operating time




The small, rechargeable parent unit will give you the freedom of cordless roaming for up to 24 hours before re-charging is required

## Adjustable sound sensitivity



Enables you to adjust the sound and volume levels, so you can hear every giggle, gurgle and hic-up

## Extended operating range



With a range of 330m you can be fully mobile in and around the home

## Two way communication



Sometimes all your baby needs is the soothing sound of your voice. With one click of this

essential feature you can connect with your baby from anywhere around the home

## Soothing night-light



Soft glow comforts baby if it wakes

## LEDs light to signal noise



Lights are activated to indicate the level of sound in your baby's room, even if the volume is off

# Specifications

## Technical specifications

- Operating temperature range: 10 - 40 °C
- Storage temperature range: 10 - 40 °C

## Tuner/Reception/Transmission

- Frequency band: DECT
- Automatic channel selection
- Number of channels: 120

## Convenience

- Auto out of range warning
- Battery low indication
- Sound-level lights
- Volume control
- Sensitivity control

## Accessories

- AC/DC adaptor

- Batteries
- Belt clip
- DFU/ user manual
- Quick start guide

## Power

- Charging time: 8 hour(s)
- Power supply: 220 - 240 V
- Power supply: 120 V (US)
- Operating time on battery: 24 hour(s)

## Logistic data

- F-box dimensions (W x H x D): 220 x 156 x 94 mm

## Development stages

- Stages: Pregnancy, 0 - 6 months



Issue date 2012-01-20

Version: 8.3.1

12 NC: 8841 510 00000

© 2012 Koninklijke Philips Electronics N.V.  
All Rights reserved.

Specifications are subject to change without notice.  
Trademarks are the property of Koninklijke Philips  
Electronics N.V. or their respective owners.

[www.philips.com](http://www.philips.com)